



六联智能
SIXUNITED

Commercial Book

Z10 ID Series


14" /16" /17.3"



Thin ~1.3kg*




Light ~17.8mm*



A/D Metal, B/C Plastic

16:9



16:10

More 11% Visible space
Compared to 16:9
To raise productivity

11%



Privacy Camera Switch

AMOLED


2880 x 1800
RGB 10 bit

AMOLED option for 14" / 16"



Contrast Color Keyboard

Ctrl + S to save your file at any time



Large size arrow keys



Caps lock LED



Open to 180°



Rich I/O Ports



TBT option Type-C
HDMI
USB3.2 Gen2/Gen1
TBT option Type-C

MB Side

14-inch


DB Side

TF
6-in-1 SD
for 16" / 17.3"



USB3.2 Gen1
Audio
RJ45
K-Lock

Flexible Configuration

xN59 Series
 15W/ 28W thermal



xN39 Series
 45W/ 54W thermal

Single Fan



2*SO-DIMM



2*M.2 2280 SSD



Dual Fan



DDR Onboard



2*M.2 2280 SSD

Family ID Serieese

14"

16:10



xN39/ xN59-140H(2)-YD

16"

16:10



xN39/ xN59-160H-YD

17.3"

16:9




xN39/ xN59-173H-YD

Family ID Serieese


14"
16 : 10

16"
16 : 10


17.3"
16 : 9



86%
Screen to body ratio



89%
Screen to body ratio



85%
Screen to body ratio

Family ID Serieese

14"



16"




3-row number key

17.3"



4-row number key



Family ID Serieese

DB Side



Micro SD

USB option

14"

MB Side



H=17.8mm (without camera switch)
or 18.1mm (with camera switch)

16"




SD

RJ45 option



H=17.9mm

17.3"



SD



H=18.78mm

Power LED Charge LED

Specification

Z10 ID Series				
Display	14" 16:10/ 16" 16:10/ 17.3" 16:9, Up to 4K	Left I/O	1*USB Type-A (USB3.2 Gen1 or Gen2)	
CPU	Intel RPL-U/P/H ADL-U/P/H 15W/28W/45W AMD PHX-U/H RMB+ -U/H RMB-U/H 15W/45W		2*Type-C (TBT4 or USB4 option)	
Memory	2*DDR SO-DIMM (xN59 series, 15/28W) or LPDDR onboard (xN39 series, 45W)		1*Standard HDMI 2.0/1.4	
Storage	2*M.2 2280 (PCIe4.0*4/SATA)	Right I/O	14" : 1*Audio	
Camera	1MP/ 2MP, with camera switch		16" : 1*Audio	
Battery	11.55V/5050mAh, 58Wh (iGPU)		17.3" : 1*Audio	
WiFi + BT	M.2 2230 module, WiFi 802.11 ac/ax + BT4.2/5.1		1*USB3.2 Gen1 1*RJ45 or USB2.0 1*Micro SD	1*USB3.2 Gen1 1*RJ45 or USB2.0 1*RJ45 1*SD
Speaker	2*2W	Dimension	14": 313.8*222*17.87mm (w/o switch) or 18.1mm (w/ switch)	
MIC	2*D-MIC		16": 357.7*245.9*17.9mm	
LED			17.3": 397.9*253.9*18.78mm	
Key board	US/UK layout, backlit keyboard support	Adapter	45W/ 65W/ 100W PD adapter (Follow CPU)	
OS	Windows 11	Material	Cover A/ D: Aluminum, Cover B/C: Plastic	



六联智能
SIXUNITED

T H A N K S